





Press and adjust the bed cushion to ensure it align with loveseat and chaise cushion.  
Please ensure to place the front of the bed cushion on top of the bed tray.




Option A



Option B



Option A



Option B


# CHESTER SECTIONAL

---


## ASSEMBLY INSTRUCTIONS

# PARTS AND HARDWARE

Avoid using sharp objects such as a knife to cut open packing as you may accidentally damage the upholstery.




M5 x80 x 30mm  
Allen Key  
1x




5/16" x 2" Bolt  
8x




M6 Washer  
8x




Rectangle Leg  
6x




Rear Leg  
2x




Loveseat Body  
1x




Armrest  
1 pair




Chaise Body  
1x




Loveseat Backrest  
1x




Chaise Backrest  
1x




Chaise Cushion  
1x




Loveseat Cushion  
2x





Option B



Lift up the bed cushion from the bed tray.



Option A






Option B

## OPERATING YOUR UNIT



### Accessing Chaise Storage

Simply lift up the storage up from front. Keep close all time.



### Converting To Bed

Full pull out love seat bed tray.





## ASSEMBLY INSTRUCTIONS


**CAUTION:** At least two adults are required to safely complete performing this task. Other lifting attempts may risk back injury due to large and heavy part(s).




- 1 Secure two pieces of rectangle leg on the base of each armrest with provided bolts, washers and Allen key.




**2** Secure rectangle legs and rear legs to the base of chaise body with provided bolts, washers and Allen key. Please avoid overtightening.




Carefully place loveseat and chaise with metal bracket for each parts align together. Slot the metal bracket of loveseat into chaise's metal bracket.



Remove velcro cover on the back of all cushions.




Place chaise's cushion on chaise's backrest. Repeat step for loveseat's cushion accordingly.




### Option B : Assembly Instructions


Align right arm and loveseat together with brackets on both parts facing together. Lift armrest and slot into the brackets of the loveseat body.




Align left armrest and chaise together with brackets on both parts facing together. Lift the chaise and slot into the brackets of the armrest as shown.



**3** Fully slot in loveseat's backrest into the lock mechanism on back of loveseat. Please ensure both side properly locked.




**4** Fully slot in chaise's backrest into the lock mechanism on back of chaise. Please ensure both side properly locked.




### Option A : Assembly Instructions


Align left armrest and loveseat together with brackets on both parts facing together. Lift the loveseat body and slot into the brackets of the armrest as shown.




Align right armrest and chaise together with brackets on both parts facing together. Lift the armrest and slot into brackets on left side of chaise body as shown.



Carefully place loveseat and chaise with metal bracket for each parts align together. Slot the metal bracket of chaise into loveseat's metal bracket.



Remove velcro cover on the back of all cushions.



Place chaise's cushion on chaise's backrest. Repeat step for loveseat's cushion accordingly.

